

Home / Lift Assistance Arms / Series 2

## Series 2

STARTING AT

**\$2,900.00**

- The perfect solution for small work areas
- One Tilting and one Radial arm allow 360 degree movement at both joints
- Recommended for light weight, low torque applications and small work areas
- Mid-range weight and torque capabilities
- Select Head Members and Brake options available

### BEST FOR USE WITH:

- Light Weight Grinders & Sanders
- Assembly Tools, Screwdrivers & Fastening Tools

### ADDITIONAL INFORMATION

Vertical Reach      22 in.

Horizontal Reach    34 in.

Max Weight          22 lbs

Maximum Torque     120 Nm



## COMPATIBLE HEAD MEMBERS:

B: Vertical Flat

BA: Vertical with Ring

C: Vertical Adjustable

E: Flat Articulated

EA: Flat Articulated with Ring

F: Articulated Adjustable

G: Quick Change

K: Universal Strap

N: Multiposition Articulated

## COMPATIBLE BRAKES:

L00: No Brakes

L50: Manual Locking Base


## ORIENTATION OPTION DETAILS

CODE	MOUNT TYPE	NAME	REACH (IN.)		MAX LBS
			VERT	HORZ	
B	Bottom Mount	Bottom Mounted	22	34	22
BE	Bottom Mount	Elevating Base	22	34	22
BS	Top Mount	Top Mounted	22	34	22


## TORQUE RECOMMENDATIONS

HEAD MEMBER	ORIENTATION	MAX NM	TORQUE FT-LBS
B2: Stationary Flat with Ring	Vertical	120	88
E2: Flat Articulated with Ring	Vertical	60	44
B2: Stationary Flat with Ring	Horizontal	90	66
E2: Flat Articulated with Ring	Horizontal	60	44
E2: Flat Articulated with Ring	Any	60	44

VERTICAL



HORIZONTAL



ANY ANGLE

