

Suction sweeper

- Park Ranger 2150







2900 mm

Standard equipment:

Self-cleaning filter system As standard the hopper has a rotation filter system and a fresh water tank with 100 l capacity.

Hopper stand

Frame for easy fitting, removal and storage of the

hopper.

Height regulation

Nose wheel for height regulation of the front brushes for excellent sweeping result and minimal brush wear.

Speed adjustment

Adjustable speed of the front brushes is standard.

Extra equipment (options):

External wander hose

The external vacuum hose is ideal for cleaning hard-to-reach places such as between parked bicycles or in stairwells. The 6 m hose is stored on top of the hopper and is always ready to use.

Third side brush

Extends the sweeping width to 1660 mm. This brush is operated hydraulically, which makes it perfect for sweeping right up to house walls or under benches, for example.

Technical specifications

-						
Dι	me	en	SI	0	n	S

Difficusions		
Length	mm	2900
Width	mm	1200
Height with / without cabin	mm	1935 / 1850
Height with remote wander hose	mm	2200
Storage dimensions		
Length	mm	1350
Width	mm	1010
Height	mm	1920
Weights		
Weight with / without cabin 1)	kg	960 / 850
Payload with / without cabin	kg	340 / 450
Weight - hopper	kg	135
Weight - front brushes, 2 brushes	kg	68
Weight - 3 rd brush	kg	23
Hopper		
Hopper net volume (EN 15429-1)	1	438
Hopper gross volume	i.	458
Hopper load, max.	kg	300
Tipping height	mm	1300
Fresh water tank capacity	I	100
Sweeping system & performance		
Working width - 2 brushes	mm	1220
Working width up to - 3 rd brush	mm	1660
Turning circle - 2 brushes and hopper (wall to wall) (EN 15429-1)		3240
Brush speed	rpm	0-140
Brush diameter Ø	mm	570
Suction tube diameter Ø	mm	150
Ground clearance below suction mouth	mm	55
Ground clearance below brushes	mm	140
Air flow	m³/h	2500
Air speed	km/h	140
Noise level LwA (2000/14/EC)	dB(A)	107
Dust levels: EUnited PM10 and PM2.5		****
CE certified according to EU directive		
¹⁾ Includes: hopper, 2 brushes, 75 kg operator and 90% fuel capacity		
o.aaco. nopper, z brasiles, 7 o kg operator and 50% ruer capacity		

¹⁾ Includes: hopper, 2 brushes, 75 kg operator and 90% fuel capacity.





