



Manoeuvrable and highly efficient,  
easy to push thanks traction drive

**KS650 IBC**

# KS650 IBC



Whether inside or out, the hand-guided vacuum sweeper KS650 IBC removes dirt and dust from all hard floors. It can also clean carpets with the carpet set. The machine is very manoeuvrable, easy to push thanks to its traction drive and highly efficient with a cleaning speed of 5 km/h. The overhead projection principle ensures that the dirt container is filled optimally. Because the KS650 IBC is battery-operated and fitted with an onboard charger it gives off no harmful emissions.

## Technical data

Total power	750 W/12 V
Dirt container volume	35 l
Dirt container weight	25 kg
Traction drive	infinitely variable
Productivity rate theoretical	
with side brush	3525 m <sup>2</sup> /h
without side brush	2525 m <sup>2</sup> /h
Speed	5,0 km/h
Working width with side brush	71 cm
Weight	122 kg (incl. battery)
Dimensions l/w/h	110 / 71 / 72 cm

## Complete incl.

065.142	Discharge signal indicator
065.171	Main brush roller
065.193	Side brush for indoor use
065.199	Onboard charger


## Optional accessories

065.010	Carpet set consists of:
	Deflector wheel
	Fibrous sieve
	Fender guide rail
	Bail complete
	Microswitch with cable
	Various, screw nuts and cable binder
065.190	Side brush for outdoor use
066.091	Gel battery 12 V / 76Ah (C5)

## Switzerland

Cleanfix Reinigungssysteme AG  
Stettenstrasse 15  
9247 Henau-Uzwil/SG  
Tel. +41 71 955 47 47  
Fax +41 71 955 47 60  
info@cleanfix.com


[www.cleanfix.com](http://www.cleanfix.com)



Easy removal of dirt container



Lever for raising/ lowering side brush



Battery and onboard charger display including excessive discharge protection







compact, robust, comfortable  
**KS1100 B**



# KS1100 B



This compact and robust ride-on sweeper is made for medium and large areas, for inside and outside use. The machine represents simplicity and robustness in its most sophisticated form. It is small enough to fit into an elevator, and is manoeuvrable enough to reach the tight corners. The large filter, a large flap and the climbing rate over 20% are other strong points of the KS1100 B.

## Technical data

Working width with 2 side brushes	116 cm
Working width without side brushes	70 cm
Diameter side brushes	44 cm
Sweeping principle	Overthrow
Hopper	60 l
Filter material	Polyester
Filter area	3,9 m <sup>2</sup>
Filter cleaning	electrical filter shaker
Turning circle	230 cm
Motor power supply battery	24V 180Ah
Dimensions (L/W/H)	1550 / 1000 / 1220 mm
Weight without batteries	240 kg
Speed	0 – 7,2 km/h
Running hours (max.)	4,5
Productivity rate theoretical	ca. 8000 m <sup>2</sup> /h
Side brushes	2
Climbing rate (max.)	20 %

## Completely inclusive

- 080.059 Side brush standard, ø47,5 cm, with brush PP 0.8, 3-row (2 pieces needed)
- 080.222 Filter complete
- 080.501 Main brush roller standard, 70 cm, with brush PP 0.9

## Special accessories

- 080.130 Reflector Kit
- 080.136 Light bulb 24 V
- 701.091 4 Gel battery Dryfit à 6 V / 180 Ah (244 x 190 x 275 mm)
- 710.655 Gel battery charger 24 V / 25 A

## Outside use only

- 080.060 Side brush, ø47,5 cm, with brush PP 0.8 + steel 0.8, 3-row
- 080.504 Main brush roller, 70 cm, with brush PP 0.9 + steel 0.9

## Inside use only

- 080.061 Side brush, ø47,5 cm, with brush Tampico, 3-row
- 080.498 Main brush roller, 70 cm, with brush Tampico

## In- and outside use

- 080.059 Side brush standard, ø47,5 cm, with brush PP 0.8, 3-row (2 pieces needed)
- 080.499 Main brush roller, 70 cm, with brush PP 0.9, double bristled



Clear control panel



Quick filter change



Adjustable ergonomic seat



Large hopper



Easy to change the brushes